

# Protecting Obfuscation Against Algebraic Attacks

Boaz Barak    Sanjam Garg    Yael Tauman Kalai    Omer Paneth    Amit Sahai\*

October 1, 2013

## Abstract

The goal of general-purpose program obfuscation is to make an arbitrary computer program “unintelligible” while preserving its functionality. At least as far back as the work of Diffie and Hellman in 1976, researchers have contemplated applications of general-purpose obfuscation. However, until 2013, even heuristic constructions for general-purpose obfuscation were not known.

This changed with the work of Garg, Gentry, Halevi, Raykova, Sahai, and Waters (FOCS 2013), which gave the first candidate construction of general-purpose obfuscation. The heart of their construction is an obfuscator for log-depth ( $\mathbf{NC}^1$ ) circuits, building upon a simplified subset of the Approximate Multilinear Maps framework of Garg, Gentry, and Halevi (Eurocrypt 2013) that they call Multilinear Jigsaw Puzzles.

Given the importance of general-purpose obfuscation, it is imperative that we gain as much confidence as possible in candidates for general-purpose obfuscation. In this work, we focus on the following question: Do there exist *algebraic* attacks (a.k.a. generic multilinear attacks) against candidate constructions of general-purpose obfuscation? Indeed, Garg *et al.* posed the problem of proving that there exist no generic multilinear attacks against their core  $\mathbf{NC}^1$  scheme as a major open problem in their work. Solving this problem will give us essential evidence that mathematical approaches to general purpose obfuscation introduced by Garg *et al.* are sound.

This problem was first addressed in the recent work of Brakerski and Rothblum (eprint 2013), who constructed a variant of the Garg *et al.* candidate obfuscator, and proved that it achieves the strongest definition of security for general-purpose obfuscation — Virtual Black Box (VBB) security — against all generic multilinear attacks, albeit under an unproven assumption they introduce as the Bounded Speedup Hypothesis, which strengthens the Exponential Time Hypothesis.

In this work, we resolve the open problem of Garg *et al.* completely, by removing the need for this additional assumption. More specifically, we describe a different (and arguably simpler) variant of the construction of Garg *et al.*, for which we can prove that it achieves Virtual Black Box security against all generic multilinear attacks, *with no further assumptions*.

---

\*Department of Computer Science, UCLA. Work done in part while visiting Microsoft Research, New England. Research supported in part from a DARPA/ONR PROCEED award, NSF grants 1228984, 1136174, 1118096, and 1065276, a Xerox Faculty Research Award, a Google Faculty Research Award, an equipment grant from Intel, and an Okawa Foundation Research Grant. This material is based upon work supported by the Defense Advanced Research Projects Agency through the U.S. Office of Naval Research under Contract N00014-11-1-0389. The views expressed are those of the author and do not reflect the official policy or position of the Department of Defense, the National Science Foundation, or the U.S. Government.

# 1 Introduction

The goal of general-purpose program obfuscation is to make an arbitrary computer program “unintelligible” while preserving its functionality. At least as far back as the work of Diffie and Hellman in 1976 [DH76]<sup>1</sup>, researchers have contemplated applications of general-purpose obfuscation. The first mathematical definitions of obfuscation were given by Barak, Goldreich, Impagliazzo, Rudich, Sahai, Vadhan, and Yang in 2001 [BGI<sup>+</sup>01]<sup>2</sup>, who also enumerated several additional applications of general-purpose obfuscation, ranging from software intellectual property protection and removing random oracles, to eliminating software watermarks. However, until 2013, even heuristic constructions for general-purpose obfuscation were not known.

This changed with the work of Garg, Gentry, Halevi, Raykova, Sahai, and Waters in 2013 [GGH<sup>+</sup>13b], which gave the first candidate construction of general-purpose obfuscation, accomplished in two steps: The heart of their construction is an obfuscator for log-depth ( $\mathbf{NC}^1$ ) circuits, building upon a simplified subset of the Approximate Multilinear Maps framework of Garg, Gentry, and Halevi [GGH13a] that they call Multilinear Jigsaw Puzzles. They proved that their construction achieves the notion called indistinguishability obfuscation (see below for further explanation), under a complex new intractability assumption. Then, they bootstrap this construction to work for all circuits, proving their transformation secure under the Learning with Error (LWE) assumption, a well-studied intractability assumption.

Given the importance of general-purpose obfuscation, it is imperative that we gain as much confidence as possible in candidates for general-purpose obfuscation. The [GGH<sup>+</sup>13b] candidate relies on Multilinear Jigsaw Puzzles: The work of [GGH13a] gives considerable cryptanalytic evidence of the security of their multilinear maps framework, and only a subset of the attacks considered there apply to the simplified Multilinear Jigsaw Puzzles setting, offering even greater confidence. Furthermore, there is already an alternative mathematical basis [CLT13] for building Multilinear Jigsaw Puzzles.

**Our result: Protecting against algebraic attacks.** However, aside from the security of the underlying multilinear map instantiation, there is another basic concern: Do there exist *algebraic* attacks (that respect multilinear maps, see below for more details) against candidate constructions of general-purpose obfuscation? Indeed, [GGH<sup>+</sup>13b] pose the problem of proving that there exist no generic multilinear attacks against their core  $\mathbf{NC}^1$  scheme as a major open problem in their work<sup>3</sup>. Solving this problem will give us essential evidence that mathematical approaches to general purpose obfuscation introduced in [GGH<sup>+</sup>13b] are sound.

This problem was first addressed in the recent work of Brakerski and Rothblum [BR13], who constructed a variant of the [GGH<sup>+</sup>13b] candidate obfuscator, and proved that it achieves the strongest definition of security for general-purpose obfuscation — Virtual Black Box (VBB) security — against all generic multilinear attacks, albeit under an unproven assumption they introduce as the Bounded Speedup Hypothesis, which strengthens the Exponential Time Hypothesis.

In this work, we resolve the open problem of [GGH<sup>+</sup>13b] completely, by removing the need for this additional assumption. More specifically, we describe a different (and arguably simpler) variant of the construction of [GGH<sup>+</sup>13b], for which we can prove that it achieves Virtual Black Box security against all generic multilinear attacks, *with no further assumptions*.

**Algebraic attacks and Notions of Security.** In this work, we focus on arguing security against a large class of natural algebraic attacks, captured in the *generic multilinear* model. Intuitively speaking, the generic

---

<sup>1</sup>Diffie and Hellman suggested the use of general-purpose obfuscation to convert private-key cryptosystems to public-key cryptosystems.

<sup>2</sup>The work of [BGI<sup>+</sup>01] is best known for their constructions of specific “unobfuscatable” classes of functions  $\{f_s\}$  that roughly have the property that given *any* circuit evaluating  $f_s$ , one can extract the secret  $s$ . However, given only black-box access to  $f_s$ , the secret  $s$  is hidden. We will discuss the implications of this for our setting below.

<sup>3</sup>An unconditional proof that the [GGH<sup>+</sup>13b] assumption resists generic *colored matrix model* attacks is given in [GGH<sup>+</sup>13b]. However, this generic colored matrix model assumes that an adversary can only attack by performing a very limited subset of matrix operations, and does not prove any security against an adversary that can perform algebraic attacks against individual encodings of elements in  $\mathbb{Z}_p$ .

multilinear model imagines an exponential-size collection of “groups”  $\{G_S\}$ , where the subscript  $S$  denotes a subset  $S \subseteq \{1, 2, \dots, k\}$ . Each of these groups is a separate copy of  $\mathbb{Z}_p$ , under addition, for some fixed large random prime  $p$ . The adversary is initially given some collection of elements from various groups. However, the only way that the adversary can process elements of these groups is through access to an oracle  $\mathcal{M}$  that performs the following three operations<sup>4</sup>:

- **Addition:**  $G_S \times G_S \rightarrow G_S$ , defined in the natural way over  $\mathbb{Z}_p$ , for all  $S \subset \{1, 2, \dots, k\}$ .
- **Negation:**  $G_S \rightarrow G_S$ , defined in the natural way over  $\mathbb{Z}_p$ , for all  $S \subset \{1, 2, \dots, k\}$ .
- **Multiplication:**  $G_S \times G_T \rightarrow G_{S \cup T}$ , defined in the natural way over  $\mathbb{Z}_p$ , for all  $S, T \subset \{1, 2, \dots, k\}$ , where  $S \cap T = \emptyset$ . Note that the constraint that  $S \cap T = \emptyset$  intuitively captures why we call this a *multilinear* model.

These operations capture precisely the algebraic operations supported by the Multilinear Jigsaw Puzzles of [GGH<sup>+</sup>13b].

With the algebraic attack model defined, the next step is to consider what security property we would like to achieve with respect to this attack model. We first recall two security notions for obfuscation – indistinguishability obfuscation (iO) security and Virtual Black-Box (VBB) security – and state them both in comparable language, in the generic multilinear model. Below, we write “generic adversary” or “generic distinguisher” to refer to an algorithm that has access to the oracle  $\mathcal{M}$  described above.

Indistinguishability obfuscation<sup>5</sup> requires that for every polynomial-time generic adversary, there exists an *computationally unbounded* simulator, such that for every circuit  $C$ , no polynomial-time generic distinguisher can distinguish the output of the adversary given the obfuscation of  $C$  as input, from the output of the simulator given oracle access to  $C$ , where the simulator can make an *unbounded* number of queries to  $C$ . Virtual Black-Box obfuscation<sup>6</sup> requires that for every polynomial-time generic adversary, there exists a *polynomial-time* simulator, such that for every circuit  $C$ , no polynomial-time generic distinguisher can distinguish the output of the adversary given the obfuscation of  $C$  as input, from the output of the simulator given oracle access to  $C$ , where the simulator can make a *polynomial* number of queries to  $C$ .

In our work, we focus on proving the Virtual Black-Box definition of security against generic attacks. We do so for several reasons:

- Our first, and most basic, reason is that proving Virtual Black-Box security against generic multilinear attacks is, mathematically speaking, the strongest result we could hope to prove. As we can see from the definitions above, the definition of security provided by the VBB definition is significantly stronger than the indistinguishability obfuscation definition. As such, it represents the natural end-goal for research on proving resilience to such algebraic attacks.

This may seem surprising in light of the negative results of [BGI<sup>+</sup>01], who showed that there exist (contrived) families of “unobfuscatable” functions for which the VBB definition is impossible to achieve *in the plain model*. However, we stress that this result does not apply to security against generic multilinear attacks. Thus it does not present a barrier to the goal of proving VBB security against generic multilinear attacks.

- Given the existence of “unobfuscatable” function families, how can we interpret a result showing VBB security against generic attacks, in terms of the real-world applicability of obfuscation? One plausible interpretation is that it offers heuristic evidence that our obfuscation mechanism will offer strong

---

<sup>4</sup>In the technical exposition, we discuss how it is enforced that the adversary can *only* access the elements of the group via the oracles. For this intuitive exposition, we ask the reader to simply imagine that an algebraic adversary is defined to be limited in this way.

<sup>5</sup>The formulation of indistinguishability obfuscation sketched here was used, for example, in [GGH<sup>+</sup>13b].

<sup>6</sup>We note that we are referring to a stronger definition of VBB obfuscation than the one given in [BGI<sup>+</sup>01], which limits the adversary to only outputting one bit. In our definition, the adversary can output arbitrary length strings. This stronger formulation of VBB security implies all other known meaningful security definitions for obfuscation, including natural definitions that are not known to be implied by the one-bit-output formulation of VBB security.

security for “natural” functions. This would suggest that unobfuscatable functions are very rare and unusual, because attacks against the obfuscations of such functions *must* necessarily treat numbers embedded in the obfuscations not as algebraic objects, but as bit-strings to be processed outside the natural algebraic framework in which they arise. We stress, however, that our result cannot offer any specific theoretical guidance on *which* function families can be VBB-obfuscated in the plain model, and which cannot.

- Finally, our VBB result against generic attacks suggests that there is a significant gap between what security is *actually* achieved by our candidate in the plain model, and the best security *definitions* for obfuscation that we have in the plain model. This suggests a natural research agenda for exploring new definitions of security for obfuscation: We suggest that after the formulation of new meaningful relaxations of VBB security, one should look at our candidate and our proof of VBB as giving a reduction to a concrete plausible intractability assumption. For example, if one takes the indistinguishability obfuscation definition, our VBB proof gives a reduction to a concrete assumption *that is unrelated to our specific obfuscation candidate* (see below for more details).

**Capturing a Generic Model by Meta-Assumptions.** While a generic model allows us to precisely define and argue about large classes of algebraic attacks, it is unsatisfying because any such oracle model, by definition, cannot be achieved in the plain model. Thus, we would like to capture as much as we can of a generic model by means of what we would call a “Meta-Assumption.” Intuitively, a Meta-Assumption specifies conditions under which the only attacks that are possible in the plain model with a specific instantiation of the oracle, are those that are possible in the oracle model itself – where the conditions that the Meta-Assumption imposes allow the assumption to be plausible. In the full version of this paper, we will give plausible examples of Meta-Assumptions. For example, one of these Meta-Assumptions about Multilinear Jigsaw Puzzles will allow us to interpret our VBB result as a reduction showing that our candidate, when instantiated with Multilinear Jigsaw Puzzles, achieves the indistinguishability obfuscation definition, under this particular Meta-Assumption.

**Our Techniques.** The starting point for our construction is a simplified form of the construction of [GGH<sup>+</sup>13b], and the starting point for our analysis is the generic colored matrix model analysis of [GGH<sup>+</sup>13b] as modified to the generic multilinear model by the recent work of [BR13]. For this discussion of our techniques, we will assume that the reader has some familiarity with the [GGH<sup>+</sup>13b] construction. Our construction and analysis deviates from the [GGH<sup>+</sup>13b] construction and analysis in two essential ways:

The first, and most important, deviation is that we employ specially designed set systems in our use of the generic multilinear model: Roughly speaking, in the original work of [GGH<sup>+</sup>13b], the underlying elements that make up the obfuscated program live in groups  $G_S$  where  $S$  is a singleton set, such as  $S = \{1\}$ . In contrast, in our obfuscation, while the actual elements from  $\mathbb{Z}_p$  that we use are very similar to those used in [GGH<sup>+</sup>13b], these elements will live in groups  $G_S$  where the sets  $S$  will come from specially designed set systems. Our use of set systems can be viewed abstractly as proceeding in two steps, which serve critical and interrelated purposes to enable our proof of VBB against generic attacks:

- First, we design a basic *straddling set system* that is used to prevent an adversary from “mixing inputs”: that is, if the adversary has chosen a particular input location  $x_i$  to be set to 0, then we use this set system to prevent the adversary from later carrying out another portion of the computation as if  $x_i = 1$ . Roughly speaking, this will be because some elements corresponding to  $x_i = 0$  will live in a group  $G_S$ , while some elements corresponding to  $x_i = 1$  will live in a group  $G_T$ , where  $S \cap T \neq \emptyset$ . Thus, these elements will be multiplicatively incompatible, and the adversary will be forced to be consistent with respect to its choice of inputs. (We note that protection against such mixing of inputs was handled differently in [GGH<sup>+</sup>13b, BR13], discussed briefly below.) In other words, the adversary is forced to “commit” to its choice of  $x_i$ , and then be consistent with this commitment from that point onwards.
- We then bootstrap the above idea to force the adversary to commit to his entire input before he can finish “processing” any one input location  $x_i$ . We do so by creating interlocking sets that combine

several copies of the straddling set systems above. These interlocking sets ensure that in order to process an input  $x_i$ , the adversary must commit to its values for all  $\{x_j\}_{j \neq i}$ . By forcing the adversary to commit to its entire input, we prevent the adversary from creating polynomials that combine terms corresponding to a super-polynomial set of different inputs. In contrast, in the recent work of [BR13], this was accomplished by means of a reduction to the Bounded Speedup Hypothesis. Our generic proof building upon our set systems, on the other hand, is unconditional.

The second deviation in our construction from that of [GGH<sup>+</sup>13b] is in our usage of the  $\alpha_{i,b}$  random scalar values that appeared in [GGH<sup>+</sup>13b]. In that work, these random scalars  $\alpha_{i,b}$  were used for two purposes: First, they were chosen with specific multiplicative constraints in order to prevent “input mixing” attacks as described above (a similar multiplicative bundling method was used by [BR13] as well). As noted above, we no longer need this use of the  $\alpha_{i,b}$  values as this is handled by our set systems. The second purpose these values served was to provide a “per-input” randomization in polynomial terms created by the adversary. We do continue the use of this role of the  $\alpha_{i,b}$  values, leveraging this “per-input” randomization using a method of explicitly invoking Kilian’s randomization technique. While the connection to Kilian’s randomization technique was made in [GGH<sup>+</sup>13b], the way in which we use it in our proof is similar to (but arguably simpler than) the beautiful use of Kilian’s randomization technique in the recent work of [BR13].

## 2 Preliminaries

In this section we define the notion of “virtual black-box” obfuscation in an idealized model, we recall the definition of branching programs and describe a “*dual-input*” variant of branching programs used in our construction.

### 2.1 “Virtual Black-Box” Obfuscation in an Idealized Model

Let  $\mathcal{M}$  be some oracle. We define obfuscation in the  $\mathcal{M}$ -idealized model. In this model, both the obfuscator and the evaluator have access to the oracle  $\mathcal{M}$ . However, the function family that is being obfuscated does not have access to  $\mathcal{M}$ .

**Definition 1** (“Virtual Black-Box” Obfuscation in an  $\mathcal{M}$ -idealized model). For a (possibly randomized) oracle  $\mathcal{M}$ , and a circuit class  $\{\mathcal{C}_\ell\}_{\ell \in \mathbb{N}}$ , we say that a uniform PPT oracle machine  $\mathcal{O}$  is a “Virtual Black-Box” Obfuscator for  $\{\mathcal{C}_\ell\}_{\ell \in \mathbb{N}}$  in the  $\mathcal{M}$ -idealized model, if the following conditions are satisfied:

- Functionality: For every  $\ell \in \mathbb{N}$ , every  $C \in \mathcal{C}_\ell$ , every input  $x$  to  $C$ , and for every possible coins for  $\mathcal{M}$ :

$$\Pr[(\mathcal{O}^{\mathcal{M}}(C))(x) \neq C(x)] \leq \text{negl}(|C|) ,$$

where the probability is over the coins of  $\mathcal{O}$ .

- Polynomial Slowdown: there exist a polynomial  $p$  such that for every  $\ell \in \mathbb{N}$  and every  $C \in \mathcal{C}_\ell$ , we have that  $|\mathcal{O}^{\mathcal{M}}(C)| \leq p(|C|)$ .
- Virtual Black-Box: for every PPT adversary  $\mathcal{A}$  there exist a PPT simulator  $\mathcal{S}$ , and a negligible function  $\mu$  such that for all PPT distinguishers  $D$ , for every  $\ell \in \mathbb{N}$  and every  $C \in \mathcal{C}_\ell$ :

$$\left| \Pr[D(\mathcal{A}^{\mathcal{M}}(\mathcal{O}^{\mathcal{M}}(C))) = 1] - \Pr[D(\mathcal{S}^C(1^{|C|})) = 1] \right| \leq \mu(|C|) ,$$

where the probabilities are over the coins of  $D, \mathcal{A}, \mathcal{S}, \mathcal{O}$  and  $\mathcal{M}$ .

**Remark 1.** We note that the definition above is stronger than the definition of VBB obfuscation given in [BGI<sup>+</sup>01], in that it allows adversaries to output an unbounded number of bits.

**Definition 2** (“Virtual Black-Box” Obfuscation for  $\text{NC}^1$  in an  $\mathcal{M}$ -idealized model). We say that  $\mathcal{O}$  is a “Virtual Black-Box” Obfuscator for  $\text{NC}^1$  in the  $\mathcal{M}$ -idealized model, if for every circuit class  $\mathcal{C} = \{\mathcal{C}_\ell\}_{\ell \in \mathbb{N}}$  such that every circuit in  $\mathcal{C}_\ell$  is of size  $\text{poly}(\ell)$  and of depth  $O(\log(\ell))$ ,  $\mathcal{O}$  is a “Virtual Black-Box” Obfuscator for  $\mathcal{C}$  in the  $\mathcal{M}$ -idealized model.

## 2.2 Branching Programs

The focus of this paper is on obfuscating *branching programs*, which are known to be powerful enough to simulate  $\mathbf{NC}^1$  circuits.

A branching program consists of a sequence of steps, where each step is defined by a pair of permutations. In each step the program examines one input bit, and depending on its value the program chooses one of the permutations. The program outputs 1 if and only if the multiplications of the permutations chosen in all steps is the identity permutation.

**Definition 3** (Oblivious Matrix Branching Program). A *branching program* of width  $w$  and length  $n$  for  $\ell$ -bit inputs is given by a permutation matrix  $P_{\text{reject}} \in \{0, 1\}^{w \times w}$  such that  $P_{\text{reject}} \neq I_{w \times w}$ , and by a sequence:

$$\text{BP} = (\text{inp}(i), B_{i,0}, B_{i,1})_{i=1}^n,$$

where each  $B_{i,b}$  is a permutation matrix in  $\{0, 1\}^{w \times w}$ , and  $\text{inp}(i) \in [\ell]$  is the input bit position examined in step  $i$ . The output of the branching program on input  $x \in \{0, 1\}^\ell$  is as follows:

$$BP(x) \stackrel{\text{def}}{=} \begin{cases} 1 & \text{if } \prod_{i=1}^n B_{i, x_{\text{inp}(i)}} = I_{w \times w} \\ 0 & \text{if } \prod_{i=1}^n B_{i, x_{\text{inp}(i)}} = P_{\text{reject}} \\ \perp & \text{otherwise} \end{cases}$$

The branching program is said to be *oblivious* if  $\text{inp} : [n] \rightarrow [\ell]$  is a fixed function, independent of the function being evaluated.

**Theorem 1** ([Bar86]). For any depth- $d$  fan-in-2 boolean circuit  $C$ , there exists an oblivious branching program of width 5 and length at most  $4^d$  that computes the same function as the circuit  $C$ .

**Remark 2.** In our obfuscation construction we do not require that the branching program is of constant width. In particular we can use any reductions that result in a polynomial size branching program.

In our construction we will obfuscate a variant of branching programs that we call *dual-input* branching programs. Instead of reading one input bit in every step, a dual-input branching program inspects a pair of input bits and chooses a permutation based on the values of both bits.

**Definition 4** (Dual-Input Branching Program). A *Oblivious dual-input* branching program of width  $w$  and length  $n$  for  $\ell$ -bit inputs is given by a permutation matrix  $P_{\text{reject}} \in \{0, 1\}^{w \times w}$  such that  $P_{\text{reject}} \neq I_{w \times w}$ , and by a sequence

$$\text{BP} = (\text{inp}_1(i), \text{inp}_2(i), \{B_{i,b_1,b_2}\}_{b_1,b_2 \in \{0,1\}})_{i=1}^n,$$

where each  $B_{i,b_1,b_2}$  is a permutation matrix in  $\{0, 1\}^{w \times w}$ , and  $\text{inp}_1(i), \text{inp}_2(i) \in [\ell]$  are the positions of the input bits inspected in step  $i$ . The output of the branching program on input  $x \in \{0, 1\}^\ell$  is as follows:

$$\text{BP}(x) \stackrel{\text{def}}{=} \begin{cases} 1 & \text{if } \prod_{i=1}^n B_{i, x_{\text{inp}_1(i)}, x_{\text{inp}_2(i)}} = I_{w \times w} \\ 0 & \text{if } \prod_{i=1}^n B_{i, x_{\text{inp}_1(i)}, x_{\text{inp}_2(i)}} = P_{\text{reject}} \\ \perp & \text{otherwise} \end{cases}$$

As before, the dual-input branching program is said to be *oblivious* if both  $\text{inp}_1 : [n] \rightarrow [\ell]$  and  $\text{inp}_2 : [n] \rightarrow [\ell]$  are fixed functions, independent of the function being evaluated.

Note that any branching program can be simulated by a dual-input branching program with the same width and length, since the dual-input branching program can always “ignore” one input bit in each pair. Moreover, note that any dual-input branching program can be simulated by a branching program with the same width and with length that is twice the length of the dual-input branching program.

### 3 Straddling Set System

In this section, we define the notion of a *straddling set system*, and prove combinatorial properties regarding this set system. This set system will be an ingredient in our construction, and the combinatorial properties that we establish will be used in our generic proof of security.

**Definition 5.** A *straddling set system* with  $n$  entries is a collection of sets  $\mathbb{S}_n = \{S_{i,b}, : i \in [n], b \in \{0, 1\}\}$  over a universe  $U$ , such that

$$\cup_{i \in [n]} S_{i,0} = \cup_{i \in [n]} S_{i,1} = U$$

and for every distinct non-empty sets  $C, D \subseteq \mathbb{S}_n$  we have that if:

1. (Disjoint Sets:)  $C$  contains only disjoint sets.  $D$  contains only disjoint sets.
2. (Collision:)  $\cup_{S \in C} S = \cup_{S \in D} S$

Then, it must be that  $\exists b \in \{0, 1\}$ :

$$C = \{S_{j,b}\}_{j \in [n]}, \quad D = \{S_{j,(1-b)}\}_{j \in [n]}.$$

Therefore, in a straddling set system, the only exact covers of the universe  $U$  are  $\{S_{j,0}\}_{j \in [n]}$  and  $\{S_{j,1}\}_{j \in [n]}$ .

**Construction 1.** Let  $\mathbb{S}_n = \{S_{i,b}, : i \in [n], b \in \{0, 1\}\}$ , over the universe  $U = \{1, 2, \dots, 2n - 1\}$ , where:  
 $S_{1,0} = \{1\}$ ,  $S_{2,0} = \{2, 3\}$ ,  $S_{3,0} = \{4, 5\}$ ,  $\dots$ ,  $S_{i,0} = \{2i - 2, 2i - 1\}$ ,  $\dots$ ,  $S_{n,0} = \{2n - 2, 2n - 1\}$ ; and,  
 $S_{1,1} = \{1, 2\}$ ,  $S_{2,1} = \{3, 4\}$ ,  $\dots$ ,  $S_{i,1} = \{2i - 1, 2i\}$ ,  $\dots$ ,  $S_{n-1,1} = \{2n - 3, 2n - 2\}$ ,  $S_{n,1} = \{2n - 1\}$ .

The proof that Construction 1 satisfies the definition of a straddling set system is straightforward and is given in Appendix A.

### 4 The Ideal Graded Encoding Model

In this section describe the ideal graded encoding model where all parties have access to an oracle  $\mathcal{M}$ , implementing an ideal graded encoding. The oracle  $\mathcal{M}$  implements an idealized and simplified version of the graded encoding schemes from [GGH13a]. Roughly,  $\mathcal{M}$  will maintain a list of *elements* and will allow a user to perform valid arithmetic operations over these elements. We start by defining the an algebra over elements.

**Definition 6.** Given a ring  $R$  and a universe set  $U$ , an element is a pair  $(\alpha, S)$  where  $\alpha \in R$  is the *value* of the element and  $S \subseteq U$  is the *index* of the element. Given an element  $e$  we denote by  $\alpha(e)$  the value of the element, and we denote by  $S(e)$  the index of the element. We also define the following binary operations over elements:

- For two elements  $e_1, e_2$  such that  $S(e_1) = S(e_2)$ , we define  $e_1 + e_2$  to be the element  $(\alpha(e_1) + \alpha(e_2), S(e_1))$ , and  $e_1 - e_2$  to be the element  $(\alpha(e_1) - \alpha(e_2), S(e_1))$ .
- For two elements  $e_1, e_2$  such that  $S(e_1) \cap S(e_2) = \emptyset$ , we define  $e_1 \cdot e_2$  to be the element  $(\alpha(e_1) \cdot \alpha(e_2), S(e_1) \cup S(e_2))$ .

Next we describe the oracle  $\mathcal{M}$ .  $\mathcal{M}$  is a stateful oracle mapping elements to “generic” representations called *handles*. Given handles to elements,  $\mathcal{M}$  allows the user to perform operations on the elements.  $\mathcal{M}$  will implement the following interfaces:

**Initialization.**  $\mathcal{M}$  will be initialized with a ring  $R$ , a universe set  $U$ , and a list  $L$  of initial elements. For every element  $e \in L$ ,  $\mathcal{M}$  generates a handle. We do not specify how the handles are generated, but only require that the value of the handles are independent of the elements being encoded, and that the handles are distinct (even if  $L$  contains the same element twice).  $\mathcal{M}$  maintains a handle table where it saves the mapping from elements to handles.  $\mathcal{M}$  outputs the handles generated for all the element in  $L$ . After  $\mathcal{M}$  has been initialize, all subsequent calls to the initialization interfaces fail.

**Algebraic operations.** Given two input handles  $h_1, h_2$  and an operation  $\circ \in \{+, -, \cdot\}$ ,  $\mathcal{M}$  first locates the relevant elements  $e_1, e_2$  in the handle table. If any of the input handles does not appear in the handle table (that is, if the handle was not previously generated by  $\mathcal{M}$ ) the call to  $\mathcal{M}$  fails. If the expression  $e_1 \circ e_2$  is undefined (i.e.,  $S(e_1) \neq S(e_2)$  for  $\circ \in \{+, -\}$ , or  $S(e_1) \cap S(e_2) \neq \emptyset$  for  $\circ \in \{\cdot\}$ ) the call fails. Otherwise,  $\mathcal{M}$  generates a new handle for  $e_1 \circ e_2$ , saves this element and the new handle in the handle table, and returns the new handle.

**Zero testing.** Given an input handle  $h$ ,  $\mathcal{M}$  first locates the relevant element  $e$  in the handle table. If  $h$  does not appear in the handle table (that is, if  $h$  was not previously generated by  $\mathcal{M}$ ) the call to  $\mathcal{M}$  fails. If  $S(e) \neq U$  the call fails. Otherwise,  $\mathcal{M}$  returns 1 if  $\alpha(e) = 0$ , and returns 0 if  $\alpha(e) \neq 0$ .

## 5 Obfuscation in the Ideal Graded Encoding Model

In this section we describe our “virtual black-box” obfuscator  $\mathcal{O}$  for  $\mathbf{NC}^1$  in the ideal graded encoding model.

**Input.** The obfuscator  $\mathcal{O}$  takes as input a circuit and transforms it into an oblivious dual-input branching program BP of width  $w$  and length  $n$  for  $\ell$ -bit inputs:

$$\text{BP} = (\text{inp}_1(i), \text{inp}_2(i), \{B_{i,b_1,b_2}\}_{b_1,b_2 \in \{0,1\}})_{i=1}^n.$$

Recall that each  $B_{i,b_1,b_2}$  is a permutation matrix in  $\{0,1\}^{w \times w}$ , and  $\text{inp}_1(i), \text{inp}_2(i) \in [\ell]$  are the positions of the input bits inspected in step  $i$ . Without loss of generality, we make the following assumptions on the structure of the branching program BP:

- In every step BP inspects two different input bits; that is, for every step  $i \in [n]$ , we have  $\text{inp}_1(i) \neq \text{inp}_2(i)$ .
- Every pair of different input bits are inspected in some step of BP; that is, for every  $j_1, j_2 \in [\ell]$  such that  $j_1 \neq j_2$  there exists a step  $i \in [n]$  such that  $(\text{inp}_1(i), \text{inp}_2(i)) = (j_1, j_2)$ .
- Every bit of the input is inspected by BP exactly  $\ell'$  times. More precisely, for input bit  $j \in [\ell]$ , we denote by  $\text{ind}(j)$  the set of steps that inspect the  $j$ 'th bit:

$$\text{ind}(j) = \{i \in [n] : \text{inp}_1(i) = j\} \cup \{i \in [n] : \text{inp}_2(i) = j\} .$$

We assume that for every input bit  $j \in [\ell]$ ,  $|\text{ind}(j)| = \ell'$ . Note that in every step, the  $j$ 'th input bit can be inspected at most once.

**Randomizing.** Next, the Obfuscator  $\mathcal{O}$  “randomizes” the branching program BP as follows. First,  $\mathcal{O}$  samples a prime  $p$  of length  $O(n)$ , Then,  $\mathcal{O}$  samples random and independent elements as follows:

- Non-zero scalars  $\{\alpha_{i,b_1,b_2} \in \mathbb{Z}_p : i \in [n], b_1, b_2 \in \{0,1\}\}$ .
- Pair of vectors  $\mathbf{s}, \mathbf{t} \in \mathbb{Z}_p^w$ .
- $n + 1$  random full-rank matrices  $R_0, R_1, \dots, R_n \in \mathbb{Z}_p^{w \times w}$ .

Finally,  $\mathcal{O}$  computes the pair of vectors:

$$\tilde{\mathbf{s}} = \mathbf{s}^t \cdot R_0^{-1}, \quad \tilde{\mathbf{t}} = R_n \cdot \mathbf{t} ,$$

and for every  $i \in [n]$  and  $b_1, b_2 \in \{0, 1\}$ ,  $\mathcal{O}$  computes the matrix:

$$\tilde{B}_{i,b_1,b_2} = R_{i-1} \cdot B_{i,b_1,b_2} \cdot R_i^{-1}.$$

**Initialization.** For every  $j \in [\ell]$ , let  $\mathbb{S}^j$  be a straddling set system with  $\ell'$  entries over a set  $U_j$ , such that the sets  $U_1, \dots, U_\ell$  are disjoint. Let  $U = \bigcup_{j \in [\ell]} U_j$ , and let  $B_s$  and  $B_t$  be sets such that  $U, B_s, B_t$  are disjoint. We associate the set system  $\mathbb{S}^j$  with the  $j$ 'th input bit. We index the elements of  $\mathbb{S}^j$  by the steps of the branching program BP that inspect the  $j$ 'th input. Namely,

$$\mathbb{S}^j = \left\{ S_{k,b}^j : k \in \text{ind}(j), b \in \{0, 1\} \right\}.$$

For every step  $i \in [n]$  and bits  $b_1, b_2 \in \{0, 1\}$  we denote by  $S(i, b_1, b_2)$  the union of pairs of sets that are indexed by  $i$ :

$$S(i, b_1, b_2) = S_{i,b_1}^{\text{inp}_1(i)} \cup S_{i,b_2}^{\text{inp}_2(i)} .$$

Note that by the way we defined the set  $\text{ind}(j)$  for input bit  $j \in [\ell]$ , and by the way the elements of  $\mathbb{S}^j$  are indexed, indeed,  $S_{i,b_1}^{\text{inp}_1(i)} \in \mathbb{S}^{\text{inp}_1(i)}$  and  $S_{i,b_2}^{\text{inp}_2(i)} \in \mathbb{S}^{\text{inp}_2(i)}$ .

$\mathcal{O}$  initializes the oracle  $\mathcal{M}$  with the ring  $\mathbb{Z}_p$ , the universe set  $U \cup B_s \cup B_t$  and with the following initial elements:

$$\begin{aligned} & (\mathbf{s} \cdot \mathbf{t}, B_s \cup B_t), \\ & \{(\tilde{\mathbf{s}}[j], B_s), (\tilde{\mathbf{t}}[j], B_t)\}_{j \in [w]} \\ & \{(\alpha_{i,b_1,b_2}, S(i, b_1, b_2))\}_{i \in [n], b_1, b_2 \in \{0,1\}} \\ & \left\{ (\alpha_{i,b_1,b_2} \cdot \tilde{B}_{i,b_1,b_2}[j, k], S(i, b_1, b_2)) \right\}_{i \in [n], b_1, b_2 \in \{0,1\}, j, k \in [w]} \end{aligned}$$

$\mathcal{O}$  receives back a list of handles. We denote the handle to the element  $(\alpha, S)$  by  $[\alpha]_S$ . For a matrix  $M$ ,  $[M]_S$  denotes a matrix of handles such that  $[M]_S[j, k]$  is the handle to the element  $(M[j, k], S)$ . Using this notation,  $\mathcal{O}$  receives back the following handles:

$$[\tilde{\mathbf{s}}]_{B_s}, \quad [\tilde{\mathbf{t}}]_{B_t}, \quad [\mathbf{s} \cdot \mathbf{t}]_{B_s \cup B_t}, \quad \left\{ [\alpha_{i,b_1,b_2}]_{S(i,b_1,b_2)}, \quad \left[ \alpha_{i,b_1,b_2} \cdot \tilde{B}_{i,b_1,b_2} \right]_{S(i,b_1,b_2)} \right\}_{i \in [n], b_1, b_2 \in \{0,1\}} .$$

**Output.** The obfuscator  $\mathcal{O}$  outputs a circuit  $\mathcal{O}(\text{BP})$  that has all the handles received from the Initialization stage hardcoded into it. Given access to the oracle  $\mathcal{M}$ ,  $\mathcal{O}(\text{BP})$  can add and multiply handles.

**Notation.** Given two handles  $[\alpha]_S$  and  $[\beta]_S$ , we let  $[\alpha]_S + [\beta]_S$  denote the handle obtained from  $\mathcal{M}$  upon sending an addition query with  $[\alpha]_S$  and  $[\beta]_S$ . Similarly, given two handles  $[\alpha_1]_{S_1}$  and  $[\alpha_2]_{S_2}$  such that  $S_1 \cap S_2 = \emptyset$ , we denote by  $[\alpha_1]_{S_1} \cdot [\alpha_2]_{S_2}$  the handle obtained from  $\mathcal{M}$  upon sending a multiplication query with  $[\alpha_1]_{S_1}$  and  $[\alpha_2]_{S_2}$ . Given two matrices of handles  $[M_1]_{S_1}, [M_2]_{S_2}$ , we define their matrix multiplication in the natural way, and denote it by  $[M_1]_{S_1} \cdot [M_2]_{S_2}$ .

For input  $x \in \{0, 1\}^\ell$  to  $\mathcal{O}(\text{BP})$ , and for every  $i \in [n]$  let  $(b_1^i, b_2^i) = (x_{\text{inp}_1(i)}, x_{\text{inp}_2(i)})$ . On input  $x$ ,  $\mathcal{O}(\text{BP})$  obtains the following handles:

$$h = [\tilde{\mathbf{s}}]_{B_s} \cdot \prod_{i=1}^n \left[ \alpha_{i,b_1^i,b_2^i} \cdot \tilde{B}_{i,b_1^i,b_2^i} \right]_{S(i,b_1^i,b_2^i)} \cdot [\tilde{\mathbf{t}}]_{B_t}, \quad h' = [\mathbf{s} \cdot \mathbf{t}]_{B_s \cup B_t} \cdot \prod_{i=1}^n \left[ \alpha_{i,b_1^i,b_2^i} \right]_{S(i,b_1^i,b_2^i)}$$

$\mathcal{O}(\text{BP})$  uses the oracle  $\mathcal{M}$  to subtract the handle  $h'$  from  $h$  and performs a zero test on the result. If the zero test outputs 1 then  $\mathcal{O}(\text{BP})$  outputs 1, and otherwise  $\mathcal{O}(\text{BP})$  outputs 0.

**Correctness.** By construction we have that as long as none of the calls to the oracle  $\mathcal{M}$  fail, subtracting the handle  $h'$  from  $h$  results in a handle to 0 if and only if:

$$\begin{aligned}
0 &= \tilde{\mathbf{s}} \cdot \prod_{i=1}^n \alpha_{i,b_1^i,b_2^i} \cdot \tilde{B}_{i,b_1^i,b_2^i} \cdot \tilde{\mathbf{t}} - \mathbf{s} \cdot \mathbf{t} \cdot \prod_{i=1}^n \alpha_{i,b_1^i,b_2^i} \\
&= \left( \tilde{\mathbf{s}} \cdot \prod_{i=1}^n \tilde{B}_{i,b_1^i,b_2^i} \cdot \tilde{\mathbf{t}} - \mathbf{s} \cdot \mathbf{t} \right) \cdot \prod_{i=1}^n \alpha_{i,b_1^i,b_2^i} \\
&= \left( \mathbf{s}^t \cdot R_0^{-1} \cdot \prod_{i=1}^n (R_{i-1} \cdot B_{i,b_1,b_2} \cdot R_i^{-1}) \cdot R_n^{-1} \cdot \mathbf{t} - \mathbf{s} \cdot \mathbf{t} \right) \cdot \prod_{i=1}^n \alpha_{i,b_1^i,b_2^i} \\
&= \mathbf{s}^t \cdot \left( \prod_{i=1}^n B_{i,b_1,b_2} - I_{w \times w} \right) \cdot \mathbf{t} \cdot \prod_{i=1}^n \alpha_{i,b_1^i,b_2^i}
\end{aligned}$$

From the definition of the branching program we have:

$$\text{BP}(x) = 1 \Leftrightarrow \prod_{i=1}^n B_{i,b_1^i,b_2^i} = I_{w \times w}$$

Thus, if  $\text{BP}(x) = 1$  then  $\mathcal{O}(\text{BP})$  outputs 1 with probability 1. If  $\text{BP}(x) = 0$  then  $\mathcal{O}(\text{BP})$  outputs 1 with probability at most  $1/p = \text{negl}(n)$  over the choice of  $\mathbf{s}$  and  $\mathbf{t}$ .

It is left to show that none of the calls to the oracle  $\mathcal{M}$  fail. Note that when multiplying two matrices of handles  $[M_1]_{S_1} \cdot [M_2]_{S_2}$ , none of the addition or multiplication calls fail as long as  $S_1 \cap S_2 = \emptyset$ . Therefore, to show that none of the addition or multiplication calls to  $\mathcal{M}$  fail, it is enough to show that following sets are disjoint:

$$B_s, B_t, S(1, b_1^1, b_2^1), \dots, S(n, b_1^n, b_2^n) .$$

Their disjointness follows from the fact that  $U_1, \dots, U_\ell, B_s, B_t$  are disjoint, together with definition of  $S(i, b_1^i, b_2^i)$  and with the fact that for every set system  $\mathbb{S}^j$ , for every distinct  $i, i' \in \text{ind}(j)$ , and for every  $b \in \{0, 1\}$ , we have that  $S_{i,b}^j \cap S_{i',b}^j = \emptyset$ .

To show that the zero testing call to the oracle  $\mathcal{M}$  does not fail we need to show that the index set of the elements corresponding to  $h$  and  $h'$  is the entire universe. Namely, we need to show that

$$\left( \bigcup_{i=1}^n S(i, b_1^i, b_2^i) \right) \cup B_s \cup B_t = U \cup B_s \cup B_t ,$$

which follows from the following equalities:

$$\bigcup_{i=1}^n S(i, b_1^i, b_2^i) = \bigcup_{i=1}^n S_{i,b_1^i}^{\text{inp}_1(i)} \cup S_{i,b_2^i}^{\text{inp}_2(i)} = \bigcup_{j=1}^{\ell} \bigcup_{k \in \text{ind}(j)} S_{k,x_i}^j = \bigcup_{j=1}^{\ell} U_j = U .$$

## 6 Proof of VBB in the The Ideal Graded Encoding Model

In this section we prove that the obfuscator  $\mathcal{O}$  described in Section 5 is a good VBB obfuscator for  $\mathbf{NC}^1$  in the ideal graded encoding model.

Let  $\mathcal{C} = \{\mathcal{C}_\ell\}_{\ell \in \mathbb{N}}$  be a circuit class such that every circuit in  $\mathcal{C}_\ell$  is of size  $\text{poly}(\ell)$  and of depth  $O(\log \ell)$ . We assume WLOG that all circuits in  $\mathcal{C}_\ell$  are of the same depth (otherwise the circuit can be padded). It follows from Theorem 1 that there exist polynomial functions  $n$  and  $w$  such that on input circuit  $C \in \mathcal{C}_\ell$ , the branching program  $\text{BP}$  computed by  $\mathcal{O}$  is of size  $n(|C|)$ , width  $w(|C|)$ , and computes on  $\ell(|C|)$ -bit inputs.

In Section 5 we showed that  $\mathcal{O}$  satisfies the functionality requirement where the probability of  $\mathcal{O}$  computing the wrong output is negligible in  $n$ . Since  $n$  is a polynomial function of  $|C|$  we get that the functionality error is negligible in  $|C|$ , as required. It is straightforward to verify that  $\mathcal{O}$  also satisfies the polynomial slowdown property. In the rest of this section we prove that  $\mathcal{O}$  satisfies the virtual black-box property.

**The simulator.** To prove that  $\mathcal{O}$  satisfies the virtual black-box property, we construct a simulator  $\text{Sim}$  that is given  $1^{|C|}$ , the description of an adversary  $\mathcal{A}$ , and oracle access to the circuit  $C$ .  $\text{Sim}$  starts by emulating the obfuscation algorithm  $\mathcal{O}$ . Recall that  $\mathcal{O}$  converts the circuit  $C$  into a branching program  $\text{BP}$ . However, since  $\text{Sim}$  is not given  $C$  it cannot compute the matrices  $B_{i,b_1,b_2}$  in the description of  $\text{BP}$  (note that  $\text{Sim}$  can compute the input mapping functions  $\text{inp}_1, \text{inp}_2$  since the branching program is oblivious). Without knowing the  $B$  matrices,  $\text{Sim}$  cannot simulate the list of initial elements to the oracle  $\mathcal{M}$ . Instead  $\text{Sim}$  initializes  $\mathcal{M}$  with formal variables.

Concretely, we extend the definition of an element to allow for values that are formal variables, as opposed to ring elements. When performing an operation  $\circ$  on elements  $e_1, e_2$  that contain formal variables, the value of the resulting element  $e_1 \circ e_2$  is just the formal arithmetic expression  $\alpha(e_1) \circ \alpha(e_2)$  (assuming the indexes of the elements are such that the operation is defined). We represent formal expressions as arithmetic circuits, thereby guaranteeing that the representation size remains polynomial. We say that an element is *basic* if its value is an expression that contains no gates (i.e., its just a formal variable). We say that an element  $e'$  is a *sub-element* of an element  $e$  if  $e$  was generated from  $e'$  through a sequence of operations.

To emulate  $\mathcal{O}$ ,  $\text{Sim}$  must also emulate the oracle  $\mathcal{M}$  that  $\mathcal{O}$  accesses.  $\text{Sim}$  can efficiently emulate all the interfaces of  $\mathcal{M}$  except for the zero testing. The problem with simulating zero tests is that  $\text{Sim}$  cannot test if the value of a formal expression is 0. Note however that the emulation of  $\mathcal{O}$  does not make any zero-test queries to  $\mathcal{M}$  (zero-test queries are made only by the evaluator).

When  $\text{Sim}$  completes the emulation of  $\mathcal{O}$  it obtains a simulated obfuscation  $\tilde{\mathcal{O}}(C)$ .  $\text{Sim}$  proceeds to emulate the execution of the adversary  $\mathcal{A}$  on input  $\tilde{\mathcal{O}}(C)$ . When  $\mathcal{A}$  makes an oracle call that is not a zero test,  $\text{Sim}$  emulates  $\mathcal{M}$ 's answer (note that emulation of the oracle  $\mathcal{M}$  is stateful and will therefore use the same handle table to emulate both  $\mathcal{O}$  and  $\mathcal{A}$ ). Since the distribution of handles generated during the simulation and during the real execution are identical, and since the simulated obfuscation  $\tilde{\mathcal{O}}(C)$  consists only of handles (as opposed to elements), we have that the simulation of the obfuscation  $\tilde{\mathcal{O}}(C)$  and the simulation of  $\mathcal{M}$ 's answers to all the queries, except for zero-test queries, is perfect.

**Simulating zero testing queries.** In the rest of the proof we describe how the simulator correctly simulates zero-test queries made by  $\mathcal{A}$ . Simulating the zero-test queries is non-trivial since the handle being tested may correspond to a formal expression whose value is unknown to  $\text{Sim}$ . (The “real” value of the formal variables depend on the circuit  $C$ ). Instead we show how  $\text{Sim}$  can efficiently simulate the zero-test queries given oracle access to the circuit  $C$ .

The high-level strategy for simulating zero-test queries is as follows. Given a handle to some element,  $\text{Sim}$  tests if the value of the element is zero in two parts. In the first part,  $\text{Sim}$  decomposes the element into a sum of polynomial number of “simpler” elements that we call *single-input elements*. Each single-input element has a value that depends on a subset of the formal variables that correspond to a *specific* input to the branching program. Namely, for every single-input element there exists  $x \in \{0,1\}^\ell$  such that the value of the element only depends on the formal variables in the matrices  $\tilde{B}_{i,b_1^i,b_2^i}$ , where  $b_1^i = x_{\text{inp}_1(i)}$  and  $b_2^i = x_{\text{inp}_2(i)}$ . The main difficulty in the first step is to prove that the number of single-input elements in the decomposition is polynomial.

In the second part,  $\text{Sim}$  simulates the value of every single-input element separately. The main idea in this step is to show that the value of a single-input element for input  $x$  can be simulated only given  $C(x)$ . To this end, we use Kilian’s proof on randomized encoding of branching programs. Unfortunately, we cannot simulate all the single-input elements at once (given oracle access to  $C$ ), since their values may not be independent; in particular, they all depend on the obfuscator’s randomness. Instead, we show that it is enough to zero test every single-input element individually. More concretely, we show that from every single input element that the adversary can construct, it is possible to factor out a product of the  $\alpha_{i,b_1^i,b_2^i}$  variables. We also show that every single-input element depends on a different set of the  $\alpha_{i,b_1^i,b_2^i}$  variables. Since the values of the  $\alpha$  variables are chosen at random by the obfuscation, it is unlikely that the adversary makes a query where the value of two single-input elements “cancel each other” and result in a zero. Therefore, with high probability an element is zero iff it decomposes into single-input element’s that are all zero individually.

**Decomposition to single-input elements.** Next we show that every element can be decomposed into polynomial number of single-input elements. We start by introducing some notation.

For every element  $e$  we assign an *input-profile*  $\mathbf{prof}(e) \in \{0, 1, *\}^\ell \cup \{\perp\}$ . Intuitively, if we think of  $e$  as an intermediate element in the evaluation of the branching program on some input  $x$ , the input-profile  $\mathbf{prof}(e)$  represents the partial information that can be inferred about  $x$  based on the formal variables that appear in the value of  $e$ . Formally, for every element  $e$  and for every  $j \in [\ell]$ , we say that the  $j$ 'th bit of  $e$ 's input-profile is *consistent* with the value  $b \in \{0, 1\}$  if  $e$  has a basic sub-element  $e'$  such that  $S(e') = S(i, b_1, b_2)$  and either  $j = \text{inp}_1(i)$  and  $b_1 = b$ , or  $j = \text{inp}_2(i)$  and  $b_2 = b$ .

For every  $j \in [\ell]$  and for  $b \in \{0, 1\}$  we set  $\mathbf{prof}(e)_j = b$  if the  $j$ 'th bit of  $e$ 's input-profile is consistent with  $b$  but not with  $1 - b$ . If the  $j$ 'th bit of  $e$ 's input-profile is not consistent with either 0 or 1 then  $\mathbf{prof}(e)_j = *$ . If there exist  $j \in [\ell]$  such that the  $j$ 'th bit of  $e$ 's input-profile is consistent with both 0 and 1, then  $\mathbf{prof}(e) = \perp$ . In this case we say that  $e$  is *not* a single-input element and that its profile is invalid. If  $\mathbf{prof}(e) \neq \perp$  then we say that  $e$  is a single-input element. We say that an input-profile is complete if it is in  $\{0, 1\}^\ell$ .

Next we describe an algorithm  $D$  used by `Sim` to decompose elements into single-input elements. Given an input element  $e$ ,  $D$  outputs a set of single-input elements with distinct input-profiles such that  $e = \sum_{s \in D(e)} s$ , where the equality between the elements means that their values compute the same function (it does not mean that the arithmetic circuits that represent these values are identical). Note that the above requirement implies that for every  $s \in D(e)$ ,  $S(s) = S(e)$ .

The decomposition algorithm  $D$  is defined recursively, as follows:

- If the input element  $e$  is basic,  $D$  outputs the singleton set  $\{e\}$ .
- If the input element  $e$  is of the form  $e_1 + e_2$ ,  $D$  executes recursively and obtains the set  $L = D(e_1) \cup D(e_2)$ . If there exist elements  $s_1, s_2 \in L$  with the same input-profile,  $D$  replaces the two elements with a single element  $s_1 + s_2$ .  $D$  repeats this process until all the input-profiles in  $L$  are distinct and outputs  $L$ .
- If the input element  $e$  is of the form  $e_1 \cdot e_2$ ,  $D$  executes recursively and obtains the sets  $L_1 = D(e_1), L_2 = D(e_2)$ . For every  $s_1 \in L_1$  and  $s_2 \in L_2$ ,  $D$  adds the expression  $s_1 \cdot s_2$  to the output set  $L$ .  $D$  then eliminates repeating input-profiles from  $L$  as described above, and outputs  $L$ .

The fact that in the above decomposition algorithm indeed  $e = \sum_{s \in D(e)} s$ , and that the input profiles are distinct follows from a straightforward induction. The usefulness of the above decomposition algorithm is captured by the following two claims:

**Claim 1.** If  $U \subseteq S(e)$  then all the elements in  $D(e)$  are single-input elements. Namely, for every  $s \in D(e)$  we have that  $\mathbf{prof}(s) \neq \perp$ .

**Claim 2.**  $D$  runs in polynomial time, and in particular, the number of elements in the output decomposition is polynomial.

**Intuition.** The key to proving the claims is to argue about the structure of the input element  $e$ . The index sets for the basic elements given in the construction are carefully chosen so that the element  $e$  can only be constructed in a very specific way. Roughly, we show that the only way to construct an element, is to first combine basic elements using multiplication to create elements with complete input-profiles, and then to combine these single-input elements together using addition gates<sup>7</sup>. More concretely, our first observation is that the only way to create an element that contains a “new” input profile (that is, an element  $e$  such that  $D(e)$  contains a profile that does not appear in the decomposition of sub-elements of  $e$ ) is using a multiplication gate. The reason is that for an element  $e$  of the form  $e_1 + e_2$ , the set of input profiles in  $D(e)$  is simply the union of the sets of input profiles in  $D(e_1)$  and  $D(e_2)$ .

To prove Claim 1, we show that if  $e_1$  and  $e_2$  have valid profiles but the profile of  $e = e_1 \cdot e_2$  is invalid then  $e$  can never be a sub-element of an element with index set  $U$ , and thus, computations involving  $e$  can

<sup>7</sup>It is also possible to add together elements with incomplete input profiles as long as they have the same profile. Such additions do not change the profile, and for the sake of this argument can be ignored

never be zero tested. The idea is show that  $S(e)$  together with the index set of all other elements given to the adversary cannot form an exact cover of  $U$ . This follows from the properties of the straddling set system used (see Definition 5).

To prove Claim 2, we show that if  $e$  is an element of the form  $e_1 \cdot e_2$  and  $D(e)$  contains a new input-profile then  $e$  must itself be a single-input element (that is,  $D(e)$  will be the singleton set  $\{e\}$ ). This means that the number of elements in the decomposition of  $e$  is bounded by the number of sub-elements of  $e$ , and therefore is polynomial. To prove the above we first observe that if  $D(e)$  is not a singleton, then either  $D(e_1)$  or  $D(e_2)$  are also not singletons. Then we show that if  $D(e_1)$  contains more than one input-profile then all input-profiles in  $D(e_1)$  must be complete (here again we use the structure of the straddling set system used) and therefore the multiplication  $e_1 \cdot e_2$  cannot contain any new profiles.

*Proof of Claim 1.* Assume towards contradiction that the claim is false. Let  $e^{\text{bad}}$  be the “first” sub-element of  $e$  such that  $D(e^{\text{bad}})$  contains an element with an invalid input-profile. Namely, suppose that  $D(e^{\text{bad}})$  contains an element with an invalid input-profile, but the decomposition of all sub-elements of  $e^{\text{bad}}$  contain only elements with valid input-profiles.

Note that  $e^{\text{bad}}$  cannot be basic since then it’s input-profile is valid and  $D(e^{\text{bad}})$  is the singleton set  $\{e^{\text{bad}}\}$ . Moreover, note that  $e^{\text{bad}}$  cannot be of the form  $e_1 + e_2$ , since in this case, the input-profile of every element in  $D(e^{\text{bad}})$  appears also in  $D(e_1)$  or in  $D(e_2)$ , contradicting the assumption on  $e^{\text{bad}}$ . Therefore, it must be the case that  $e^{\text{bad}}$  is of the form  $e_1 \cdot e_2$ .

By the definition of  $e^{\text{bad}}$ , there must exist  $s_1 \in D(e_1)$  and  $s_2 \in D(e_2)$  such that  $\text{prof}(s_1) \neq \perp$  and  $\text{prof}(s_2) \neq \perp$  but  $\text{prof}(s_1 \cdot s_2) = \perp$ . Therefore, WLOG there exists  $j \in [\ell]$  such that  $\text{prof}(s_1)_j = 0$  and  $\text{prof}(s_2)_j = 1$ . In next prove the following two claims, which we use to derive a contradiction to the definition of the set system  $\mathbb{S}^j$ , by showing an exact cover of  $U_j$  that is not one of the two covers specified in Definition 5.

**Claim 3.** If  $\text{prof}(e)_j = b$  then there exists a basic sub-element  $e'$  of  $e$  such that  $S(e') \cap U_j = S_{i,b}^j$  for some  $i \in \text{ind}(j)$ .

*Proof.* If  $\text{prof}(e)_j = b$  then (by definition) one of basic sub-elements of  $e$  is an element  $e'$  such that  $S(e') = S(i, b_1, b_2)$ , and either  $j = \text{inp}_1(i)$  and  $b_1 = b$ , or  $j = \text{inp}_2(i)$  and  $b_2 = b$ . Recall that:

$$S(e') = S(i, b_1, b_2) = S_{i,b_1}^{\text{inp}_1(i)} \cup S_{i,b_2}^{\text{inp}_2(i)} .$$

If  $j = \text{inp}_1(i)$  and  $b_1 = b$  then  $S(e') \cap U_j = S_{i,b_1}^{\text{inp}_1(i)} = S_{i,b}^j$ . Similarly, if  $j = \text{inp}_2(i)$  and  $b_2 = b$  then  $S(e') \cap U_j = S_{i,b_2}^{\text{inp}_2(i)} = S_{i,b}^j$ . ■

**Claim 4.** If  $e'$  is a sub-element of  $e$  and  $\mathcal{C}' \subseteq \mathbb{S}^j$  is an exact cover of  $S(e') \cap U_j$  then there exists an exact cover  $\mathcal{C} \subseteq \mathbb{S}^j$  of  $S(e) \cap U_j$  such that  $\mathcal{C}' \subseteq \mathcal{C}$ .

*Proof.* We prove the claim by induction. If  $e$  is of the form  $e_1 + e_2$  and  $\mathcal{C}_1 \subseteq \mathbb{S}^j$  is an exact cover of  $S(e_1) \cap U_j$  then  $\mathcal{C}_1$  is also an exact cover of  $S(e) \cap U_j$  since  $S(e) = S(e_1)$ . Similarly, if  $e$  is an element of the form  $e_1 \cdot e_2$  and  $\mathcal{C}_1, \mathcal{C}_2 \subseteq \mathbb{S}^j$  are exact covers of  $S(e_1) \cap U_j$  and  $S(e_2) \cap U_j$ , respectively, then since  $S(e_1) \cap S(e_2) = \emptyset$  and since  $S(e_1) = S(e_1) \cup S(e_2)$  then  $\mathcal{C}_1 \cup \mathcal{C}_2$  is an exact cover of  $S(e) \cap U_j$ . ■

Since  $\text{prof}(s_1)_j = 0$  and  $\text{prof}(s_2)_j = 1$ , it follows from Claims 3 and 4 that there exists an exact cover of  $S(s_1) \cap U_j$  that contains the set  $S_{i,0}^j$  for some  $i \in \text{ind}(j)$ , and there exists an exact cover of  $S(s_2) \cap U_j$  that contains the set  $S_{i',1}^j$  for some  $i' \in \text{ind}(j)$ . Since  $S(s_1) = S(e_1)$  and  $S(s_2) = S(e_2)$ , and since  $e^{\text{bad}}$  is of the form  $e_1 \cdot e_2$ , there exists an exact cover of  $S(e) \cap U_j$  that contains both  $S_{i,0}^j$  and  $S_{i',1}^j$ . Since  $e^{\text{bad}}$  is a sub-expression of  $e$ , it follows from Claim 4 that there exists an exact cover of  $S(e) \cap U_j$  that contains both  $S_{i,0}^j$  and  $S_{i',1}^j$ . However, since  $U_j \subseteq U \subseteq S(e)$  we have that  $S(e) \cap U_j = U_j$ , which implies that there exists an exact cover of  $U_j$  that contains both  $S_{i,0}^j$  and  $S_{i',1}^j$ . This is a contradiction to the definition of the set system  $\mathbb{S}^j$  (see Definition 5). ■

*Proof of Claim 2.* It is straightforward to verify that the running time of  $D$  on  $e$  is polynomial in the size of the set  $D(e)$ . We will show that  $|D(e)|$  is polynomial by showing that for every  $s \in D(e)$  there exists a single-input sub-element  $e'$  of  $e$  such that  $\text{prof}(s) = \text{prof}(e')$ . Since the input-profiles in  $D(e)$  are distinct, it follows that  $|D(e)|$  is bounded by the number of sub-elements of  $e$  and is therefore polynomial.

Fix some  $s \in D(e)$ . Let  $e_0$  be the “first” sub-element of  $e$  such that  $D(e_0)$  contains an element with the input-profile  $\text{prof}(s)$ . Namely, suppose that  $D(e_0)$  contains an element with the input-profile  $\text{prof}(s)$ , but the decomposition of every sub-element of  $e_0$  does not contain an element with the input-profile  $\text{prof}(s)$ .

If  $e_0$  is basic then it is also a single-input element and we are done, since it implies that  $\text{prof}(e_0) = \text{prof}(s)$ . Note that  $e_0$  cannot be of the form  $e_1 + e_2$ , since the input-profile of every element in  $D(e_0)$  appears also in  $D(e_1)$  or in  $D(e_2)$ , contradicting the assumption on  $e_0$ . Therefore, assuming  $e_0$  is not basic, it must be the case that  $e_0$  is of the form  $e_1 \cdot e_2$ . In what follows, we prove that in this case,  $e_0$  is a single-input sub-element of  $e$  (i.e., that  $|D(e_0)| = 1$ ). This would immediately imply that  $\text{prof}(s) = \text{prof}(e_0)$ , as desired.

To this end, assume towards contradiction that  $|D(e_0)| > 1$ . By the definition of  $D$ , and by the assumption that  $e_0 = e_1 \cdot e_2$ , it must be the case that either  $|D(e_1)| > 1$  or  $|D(e_2)| > 1$ . Assume WLOG that  $|D(e_1)| > 1$ . Let  $s_0 \in D(e_0)$  such that  $\text{prof}(s) = \text{prof}(s_0)$ , and let  $s_1 \in D(e_1)$  and  $s_2 \in D(e_2)$  be elements such that  $s_0 = s_1 \cdot s_2$ . The fact that  $|D(e_1)| > 1$  implies that there exists  $s'_1 \in D(e_1)$  such that  $s'_1 \neq s_1$ . Note that  $S(s'_1) = S(s_1) = S(e_1)$ . The fact that the input-profiles in  $D(e)$  are distinct implies that there must exist some  $j \in [\ell]$  such that  $\text{prof}(s_1)_j \neq \text{prof}(s'_1)_j$ . Assume WLOG that  $\text{prof}(s_1)_j = 1$  and that  $\text{prof}(s'_1)_j \in \{0, *\}$ .

If  $\text{prof}(s'_1)_j = *$  then for every sub-element  $e'$  of  $s'_1$  we have  $S(e') \cap U_j = \emptyset$ , and therefore also  $S(s'_1) \cap U_j = \emptyset$ . On the other hand, since  $\text{prof}(s_1)_j = 1$ , it follows from Claim 3 that there exists a sub-element  $e'$  of  $s_1$  such that  $S(e') \cap U_j \neq \emptyset$  and therefore also  $S(s_1) \cap U_j \neq \emptyset$ , contradicting the fact that  $S(s'_1) = S(s_1)$ .

If  $\text{prof}(s'_1)_j = 0$ , then the fact that  $\text{prof}(s_1)_j = 1$ , together with Claims 3 and 4, implies that there exists an exact cover of  $S(s_1) \cap U_j$  that contains the set  $S_{i,1}^j$  for some  $i \in \text{ind}(j)$ , and there exists an exact cover of  $S(s'_1) \cap U_j$  that contains the set  $S_{i',0}^j$  for some  $i' \in \text{ind}(j)$ . The fact that  $S(s'_1) = S(s_1)$  implies that  $S(s'_1) \cap U_j = S(s_1) \cap U_j$ , which together with Definition 5 (for the set system  $\mathbb{S}^j$ ), implies that  $S(s_1) \cap U_j = U_j$ .

We conclude the proof with the following claim, showing that the fact that  $U_j \subseteq S(s_1)$  implies that  $\text{prof}(s_1)$  is complete.<sup>8</sup> If  $s_1$ 's profile is complete, multiplying it with another element cannot change its profile (without making it invalid) and therefore  $\text{prof}(s_0) = \text{prof}(s_1 \cdot s_2) = \text{prof}(s_1)$ , contradicting our assumption on  $e_0$ .

We prove the following stronger claim (that will be used also in the second part of the proof):

**Claim 5.** Let  $s$  be a single-input element. If  $U_j \subseteq S(s)$  then:

1.  $\text{prof}(s)$  is complete.
2. For every  $i \in \text{ind}(j)$ , there exists a basic sub-element  $e_i$  of  $s$  such that  $S(e_i) = S(i, b_1^i, b_2^i)$  for  $b_1^i = \text{prof}(s)_{\text{inp}_1(i)}$  and  $b_2^i = \text{prof}(s)_{\text{inp}_2(i)}$ .
3. If  $e$  is a basic sub-element of  $s$  and  $S(e) = S(i, b_1, b_2)$  then  $(b_1, b_2) = (b_1^i, b_2^i)$ , where  $(b_1^i, b_2^i)$  are defined as above.

*Proof.* The fact that  $s$  is a single-input element, implies that  $\text{prof}(s) \neq \perp$ . Moreover,  $\text{prof}(s)_j \neq *$ , since otherwise, every sub-element  $e'$  of  $s$  satisfies  $S(e') \cap U_j = \emptyset$ , and therefore also  $S(s) \cap U_j = \emptyset$ , contradicting the assumption that  $U_j \subseteq S(s)$ .

By the definition of  $\text{prof}(s)$ , together with our assumption that  $\text{prof}(s) \neq \perp$ , if there exists a sub-element  $e'$  of  $s$  such that  $S(e') \cap U_j = S_{i,b}^j$  for some  $i' \in \text{ind}(j)$ , then  $b = \text{prof}(s)_j$ . Thus, the fact that  $U_j \subseteq S(s)$  implies that for every  $i \in \text{ind}(j)$  there exists a basic sub-element  $e_i$  of  $s$  that satisfies  $S(e_i) \cap U_j = S_{i,b}^j$  for  $b = \text{prof}(s)_j$ . In particular, since  $e_i$  is basic it must be the case that  $S(e_i) = S(i, b_1, b_2)$  for  $(b_1, b_2) \in \{0, 1\}$ . This, together with the fact that  $\text{prof}(s) \neq \perp$ , implies that it must be the case that  $(b_1, b_2) = (\text{prof}(s)_{\text{inp}_1(i)}, \text{prof}(s)_{\text{inp}_2(i)})$ . This proves Item 2 of Claim 5. Similarly, the fact that  $\text{prof}(s) \neq \perp$ , implies that for every basic sub-element  $e$  of  $s$ , if  $S(e) = S(i, b_1, b_2)$  then  $(b_1, b_2) = (\text{prof}(s)_{\text{inp}_1(i)}, \text{prof}(s)_{\text{inp}_2(i)})$ , which proves Item 3 of Claim 5.

<sup>8</sup>Jumping ahead, it is in the proof of this claim where we rely on the assumption that the underlying branching program is a dual-input branching program.

It remains to prove that  $\text{prof}(s)$  is complete. To this end, fix any  $j' \in [\ell]$ . By our assumption on the structure of the branching program, there exists  $i \in [n]$  such that  $\{\text{inp}_1(i), \text{inp}_2(i)\} = \{j, j'\}$ . Assume WLOG that  $(\text{inp}_1(i), \text{inp}_2(i)) = (j, j')$ . The fact  $\text{inp}_1(i) = j$  implies in particular that  $i \in \text{ind}(j)$ , and there exist sub-element  $e_i$  of  $s$  such that  $S(e_i) = S(i, b_1, b_2)$ . Since  $\text{inp}_2(i) = j'$ , we also have  $\text{prof}(s)_{j'} \neq *$ . This is true for every  $j' \in [\ell]$ , and therefore  $\text{prof}(s)$  is complete.  $\blacksquare$

In the rest of the proof, we use the decomposition algorithm  $D$  to simulation zero-test queries. To this end, we use the simulation technique of Kilian for randomized branching programs, described in the following theorem:

**Theorem 2** ([Kil88]). There exists an efficient simulation algorithm  $\text{Sim}_{\text{BP}}$  such that for every  $x \in \{0, 1\}^\ell$ ,

$$\left\{ R_0, R_n, \left\{ \tilde{B}_{i, b_1^i, b_2^i} : i \in [n], b_1^i = x_{\text{inp}_1(i)}, b_2^i = x_{\text{inp}_2(i)} \right\} \right\} \approx \text{Sim}_{\text{BP}}(1^n, \text{BP}(x)) .$$

**Simulating zero tests.** For every element  $e$ , let  $p_e$  denote the polynomial describing the value of  $e$  as a function of its formal variables, that is, the polynomial computed by the circuit  $\alpha(e)$ . For a zero-test query containing an element  $e$  with  $S(e) = U \cup B_s \cup B_t$ ,  $\text{Sim}$  answers as follows.

1.  $\text{Sim}$  obtains the decomposition of  $e$  into single-input elements  $D(e)$  and repeats the following for every  $s \in D(e)$ .
  - (a)  $\text{Sim}$  queries its  $C$  oracle on  $x \triangleq \text{prof}(s)$ , and obtains  $C(x)$ .
  - (b)  $\text{Sim}$  executes the randomized branching program simulator  $\text{Sim}_{\text{BP}}$  on input  $C(x)$  and obtains the matrices:

$$R_0, R_n, \left\{ \tilde{B}_{i, b_1^i, b_2^i} : i \in [n], b_1^i = x_{\text{inp}_1(i)}, b_2^i = x_{\text{inp}_2(i)} \right\} .$$

- (c)  $\text{Sim}$  samples uniformly random values for:

$$\mathbf{s}, \mathbf{t}, \left\{ \alpha_{i, b_1^i, b_2^i} : i \in [n], b_1^i = x_{\text{inp}_1(i)}, b_2^i = x_{\text{inp}_2(i)} \right\} ,$$

and obtains an assignment  $\mathcal{V}_s^{\text{sim}}$  to all the formal variables that  $s$  may depend on. Note that  $s$  may not depend on the  $\tilde{B}$  matrices that were not generated by  $\text{Sim}_{\text{BP}}(C(x))$ . We think of  $\mathcal{V}_s^{\text{sim}}$  as an assignment to the variables of the polynomial  $p_s$ .

- (d)  $\text{Sim}$  answers that  $e$  is non-zero if  $p_s(\mathcal{V}_s^{\text{sim}}) \neq 0$ .

2. If  $p_s(\mathcal{V}_s^{\text{sim}}) = 0$  for every  $s \in D(e)$ ,  $\text{Sim}$  answers that  $e$  is zero.

**Intuition.** The idea behind the above simulation is that every single-input element is simulated and zero tested individually. To prove that the simulation is correct, we must show that it is unlikely that  $e$  evaluates to zero as a result of cancelations between two (or more) non-zero single-input elements. The first step in the proof (proven in Claim 6) is to show that every single-input element in  $D(e)$  can be represented as a product of the  $\alpha_{i, b_1^i, b_2^i}$  variables and an expression that does not depend on the  $\alpha$ 's. We also show that every single-input element depends on a different set of the  $\alpha_{i, b_1^i, b_2^i}$  variables. Since the values of the  $\alpha$  variables are chosen at random by the obfuscation, it follows that with high probability the value of  $e$  is zero iff the value of all the single-input elements in  $D(e)$  are also zero.

In the second step of the proof we show how to decide whether the value of a single-input element is zero. First we show that by making one oracle call to  $C$ ,  $\text{Sim}$  can perfectly simulate the value of a single-input element (Claim 7). Then we show that the value of every single-input element can be expressed as a low degree polynomial in the obfuscation random variables, and therefore it is either zero with probability 1, or only with negligible probability (Claim 8). It follows that by simulating the value of a single-input element and testing if it is zero we get the correct answer with overwhelming probability.

**Correctness of the simulation.** Next we prove that the simulation of zero-test queries is statistically close to the distribution in the real world. Formally, let  $\mathcal{V}_C^{\text{real}}$  be the random variable representing the values of the initial elements that  $\mathcal{O}(C)$  gives the the oracle  $\mathcal{M}$  during the initiation phase (we think of  $\mathcal{V}_C^{\text{real}}$  as an assignment to the variables of the polynomial  $p_e$ ). We require that for every element  $e$  such that  $S(e) = U \cup B_s \cup B_t$ , the probability that  $\text{Sim}$  answers that  $e$  is zero is negligibly close to the probability that  $p_e(\mathcal{V}_C^{\text{real}}) = 0$ . Since the adversary only asks a polynomial number of zero test queries, the correctness of the entire simulation follows.

We start by proving a claim on the structure of  $p_e$ :

**Claim 6.** For every element  $e$  such that  $U \subseteq S(e)$  we have that:

$$p_e = \sum_{s \in D(e)} p_s = \sum_{s \in D(e)} q_{\text{prof}(s)} \cdot \tilde{\alpha}_{\text{prof}(s)} .$$

Where for every single-input element  $s \in D(e)$ :

1.  $\tilde{\alpha}_{\text{prof}(s)}$  denotes the product  $\prod_{i \in [n]} \alpha_{i, b_1^i, b_2^i}$  where  $(b_1^i, b_2^i) = (\text{prof}(s)_{\text{inp}_1(i)}, \text{prof}(s)_{\text{inp}_2(i)})$ .
2.  $q_{\text{prof}(s)}$  is a polynomial in the variables  $\tilde{\mathbf{s}}, \tilde{\mathbf{t}}$  and in the entries of the matrices  $\tilde{B}_{i, b_1^i, b_2^i}$  where the individual degree in every variable is 1.

*Proof.* By the properties of the decomposition algorithm  $D$  we have that:

$$p_e = \sum_{s \in D(e)} p_s .$$

Next we argue about the structure of  $p_s$  for  $s \in D(e)$ . Recall that we think of the value of  $s$ , denoted by  $\alpha(s)$ , as an arithmetic circuit. Thus, we can represent  $\alpha(s)$  as a (potentially exponential) sum of monomials. We denote the elements corresponding to these monomials by  $s_k$ . Namely, we represent  $s$  as  $\sum_k s_k$ , such that the following holds:

1. The basic sub-elements of each  $s_k$  are a subset of the basic sub-elements of  $s$ .
2. Each  $\alpha(s_k)$  contains only multiplication gates.
3. For every  $s_k$  we have that  $S(s_k) = S(s)$  and therefore  $U_j \subset S(s_k)$  for every  $j \in [\ell]$ .

By Claim 5,  $\text{prof}(s_k)$  is complete, and since every basic sub-element of  $s_k$  is also a basic sub-elements of  $s$  we have that  $\text{prof}(s_k) = \text{prof}(s)$ . It also follows from Claim 5 that for every  $i \in [\ell]$ , there exists a basic sub-element  $e_i$  of  $s_k$  such that  $S(e_i) = S(i, b_1^i, b_2^i)$ . Additionally, since  $s_k$  contains only multiplication gates, it follows that  $s_k$  has exactly one basic sub-element with index set  $S(i, b_1^i, b_2^i)$ , for every set  $i \in [\ell]$ . The only basic elements given to the adversary as a part of the obfuscation with index set  $S(i, b_1^i, b_2^i)$  are  $\alpha_{i, b_1^i, b_2^i}$  and the elements of  $\alpha_{i, b_1^i, b_2^i} \cdot \tilde{B}_{i, b_1^i, b_2^i}$ . Since the above holds for every  $s_k$ , we can write the polynomial  $p_s$  as  $q_{\text{prof}(s)} \cdot \tilde{\alpha}_{\text{prof}(s)}$  where  $q_{\text{prof}(s)}$  and  $\tilde{\alpha}_{\text{prof}(s)}$  are as defined by in the claim's statement.  $\blacksquare$

We will also use the following claim about the distribution of the simulated assignment  $\mathcal{V}_s^{\text{sim}}$ .

**Claim 7.** For every single-input element  $s$  such that  $U \subseteq S(s)$  we have that the assignment  $\mathcal{V}_s^{\text{sim}}$  generated by  $\text{Sim}$  and the assignment to the same subset of variables in  $\mathcal{V}_C^{\text{real}}$  are identically distributed.

*Proof.* By Theorem 2, the distributions of the following variables generated by  $\text{Sim}$  and by  $\mathcal{O}(C)$  are identical:

$$R_0, \quad R_n, \quad \left\{ \tilde{B}_{i, b_1^i, b_2^i} : i \in [n], b_1^i = \text{prof}(s)_{\text{inp}_1(i)}, b_2^i = \text{prof}(s)_{\text{inp}_2(i)} \right\} .$$

Additionally, the following variables are sampled uniformly at random both by **Sim** and by  $\mathcal{O}(C)$ :

$$\mathbf{s}, \quad \mathbf{t}, \quad \left\{ \alpha_{i,b_1^i,b_2^i} : i \in [n], b_1^i = \text{prof}(s)_{\text{inp}_1(i)}, b_2^i = \text{prof}(s)_{\text{inp}_2(i)} \right\},$$

The claim follows from the fact that the assignment  $\mathcal{V}_s^{\text{sim}}$  generated by **Sim** and the assignment to the same subset of variables in  $\mathcal{V}_C^{\text{real}}$  are both computed from the above values in the same manner.  $\blacksquare$

Next we prove the correctness of the zero-test simulation. Let the input to the zero-test be an element  $e$  such that  $S(e) = U \cup B_s \cup B_t$ . We say that  $p_e(\mathcal{V}_C^{\text{real}}) \equiv 0$  if  $p_e$  is zero on the support of  $\mathcal{V}_C^{\text{real}}$ . In the proof, we distinguish between the case where  $p_e(\mathcal{V}_C^{\text{real}}) \equiv 0$  and case where  $p_e(\mathcal{V}_C^{\text{real}}) \not\equiv 0$ .

If  $p_e(\mathcal{V}_C^{\text{real}}) \equiv 0$ , then since the marginal distribution of the  $\alpha_{i,b_1,b_2}$  values in  $\mathcal{V}_C^{\text{real}}$  is uniform, it follows from the structure of  $p_e$  (given by Claim 6) and from the Schwartz-Zippel lemma, that for every  $s \in D(e)$  it holds that  $q_{\text{prof}(s)}(\mathcal{V}_C^{\text{real}}) \equiv 0$ , and therefore that  $p_s(\mathcal{V}_C^{\text{real}}) \equiv 0$ . By Claim 7 we have that also  $p_s(\mathcal{V}_s^{\text{sim}}) \equiv 0$  for every  $s \in D(e)$  and therefore **Sim** answers that  $e$  is zero with probability 1.

In the case where  $p_e(\mathcal{V}_C^{\text{real}}) \not\equiv 0$  we will make use of the following claim:

**Claim 8.** For every element  $e$  such that  $p_e$  is a polynomial of degree  $\text{poly}(n)$ , if  $p_e(\mathcal{V}_C^{\text{real}}) \not\equiv 0$  then:

$$\Pr_{\mathcal{V}_C^{\text{real}}} [p_e(\mathcal{V}_C^{\text{real}}) = 0] = \text{negl}(n) .$$

*Proof.* If  $\mathcal{V}_C^{\text{real}}$  were uniformly distributed in  $\mathbb{Z}_p$ , or if they could be expressed as polynomials of degree at most  $w$  over values that are uniform in  $\mathbb{Z}_p$ , then the claim would have followed directly from the Schwartz-Zippel lemma. However, the assignment  $\mathcal{V}_C^{\text{real}}$  depends both on the  $R_i$  matrices and on their inverses, and we cannot express the entries of  $R_i^{-1}$  as low-degree polynomials in the entries of  $R_i$ . Instead, we consider the assignment  $\tilde{\mathcal{V}}_C^{\text{real}}$  where the matrices  $R_i^{-1}$  are replaced with the adjugate matrices  $\text{adj}(R_i) = R_i^{-1} \cdot \det(R_i)$ . Since the  $R_i$  matrices are chosen to be invertible, and since by Claim 6, the individual degree of  $p_e$  in the entries of  $R_i^{-1}$  is 1, we have that:

$$\Pr_{\mathcal{V}_C^{\text{real}}} [p_e(\mathcal{V}_C^{\text{real}}) = 0] = \Pr_{\mathcal{V}_C^{\text{real}}} \left[ p_e(\mathcal{V}_C^{\text{real}}) \cdot \prod_{i \in [n]} \det(R_i) = 0 \right] = \Pr_{\tilde{\mathcal{V}}_C^{\text{real}}} [p'_e(\tilde{\mathcal{V}}_C^{\text{real}}) = 0] .$$

Where  $p'_e$  is another polynomial that depends on  $p'_e$ . Since  $\det(R_i)$  can be expressed as a polynomial of degree  $w$  in the entries of  $R_i$ , it follows that the degree of  $p'_e$  is at most  $n \cdot w$  times the degree of  $p_e$  and therefore the degree of  $p'_e$  is bounded by  $\text{poly}(n)$ . Now, since the entries of  $\text{adj}(R_i)$  can be expressed as polynomials of degree  $w$  in the entries of  $R_i$ , we have that all values in the assignment  $\tilde{\mathcal{V}}_C^{\text{real}}$  are either uniform in  $\mathbb{Z}_p$  or can be expressed as polynomials of degree at most  $w$  over values that are uniform in  $\mathbb{Z}_p$ . By the Schwartz-Zippel lemma:

$$\Pr_{\mathcal{V}_C^{\text{real}}} [p_e(\mathcal{V}_C^{\text{real}}) = 0] = \Pr_{\tilde{\mathcal{V}}_C^{\text{real}}} [p'_e(\tilde{\mathcal{V}}_C^{\text{real}}) = 0] = \text{negl}(n) .$$

$\blacksquare$

Going back to the case where  $p_e(\mathcal{V}_C^{\text{real}}) \not\equiv 0$ , it follows from the structure of  $p_e$  (given by Claim 6) that there exists  $s \in D(e)$  such that  $p_s(\mathcal{V}_C^{\text{real}}) \not\equiv 0$ . By Claim 8, we have that  $p_s(\mathcal{V}_C^{\text{real}}) \not\equiv 0$  with overwhelming probability and by Claim 7,  $p_s(\mathcal{V}_s^{\text{sim}}) \not\equiv 0$  with the same probability. Therefore, **Sim** answers that  $e$  is non-zero with overwhelming probability, as desired.

## References

- [Bar86] D A Barrington. Bounded-width polynomial-size branching programs recognize exactly those languages in  $nc_1$ . In *STOC*, 1986.

- [BGI<sup>+</sup>01] Boaz Barak, Oded Goldreich, Russell Impagliazzo, Steven Rudich, Amit Sahai, Salil P. Vadhan, and Ke Yang. On the (im)possibility of obfuscating programs. *IACR Cryptology ePrint Archive*, 2001:69, 2001.
- [BGV12] Zvika Brakerski, Craig Gentry, and Vinod Vaikuntanathan. (leveled) fully homomorphic encryption without bootstrapping. In *ITCS*, 2012.
- [BR13] Zvika Brakerski and Guy N. Rothblum. Virtual black-box obfuscation for all circuits via generic graded encoding. *Cryptology ePrint Archive, Report 2013/563*, 2013. <http://eprint.iacr.org/>.
- [CLT13] Jean-Sebastien Coron, Tancrede Lepoint, and Mehdi Tibouchi. Practical multilinear maps over the integers. In *CRYPTO*, 2013.
- [DH76] Whitfield Diffie and Martin E. Hellman. Multiuser cryptographic techniques. In *AFIPS National Computer Conference*, pages 109–112, 1976.
- [Gen09] Craig Gentry. *A fully homomorphic encryption scheme*. PhD thesis, Stanford University, 2009. [crypto.stanford.edu/craig](http://crypto.stanford.edu/craig).
- [GGH13a] Sanjam Garg, Craig Gentry, and Shai Halevi. Candidate multilinear maps from ideal lattices. In *EUROCRYPT*, 2013.
- [GGH<sup>+</sup>13b] Sanjam Garg, Craig Gentry, Shai Halevi, Mariana Raykova, Amit Sahai, and Brent Waters. Candidate indistinguishability obfuscation and functional encryption for all circuits. *Cryptology ePrint Archive, Report 2013/451*, 2013. <http://eprint.iacr.org/>.
- [Kil88] Joe Kilian. Founding cryptography on oblivious transfer. In Janos Simon, editor, *STOC*, pages 20–31. ACM, 1988.

## A Straddling Set System Construction

In this section we prove that the Construction 1 satisfies the definition of a straddling set system. Below, for ease of reading, we denote  $S_{i,0}$  by  $A_i$ , and we denote  $S_{i,1}$  by  $B_i$ , only for the purposes of this proof.

First, we observe that for all  $i$ , we have that  $A_i \cap B_i = \{2i - 1\}$ . Thus by the disjointness condition, it cannot be that  $C$  contains both  $A_i$  and  $B_i$  for any  $i$ ; the same holds for  $D$ . Thus, we can associate  $C$  with a string  $c \in \{\epsilon, A, B\}^n$  where  $A_i \in C$  iff  $c_i = A$  and  $B_i \in C$  iff  $c_i = B$ ; similarly we can associate to  $D$  a string  $d \in \{\epsilon, A, B\}^n$  where  $A_i \in D$  iff  $d_i = A$  and  $B_i \in D$  iff  $d_i = B$ .

On the other hand, we observe that only the sets  $A_i$  and  $B_i$  contain  $(2i - 1)$ . Therefore, by the collision condition, either  $A_i$  or  $B_i$  are in  $C$  iff either  $A_i$  or  $B_i$  are in  $D$ . Thus, we have that for any  $i$ , we have that  $c_i = \epsilon$  iff  $d_i = \epsilon$ .

Let  $I = [a, b] \subset [1, n]$  be a maximal interval such that for all  $i \in I$ , we have  $c_i = d_i$ . By the distinctness condition, it cannot be that  $I = [1, n]$ . If  $I$  is empty, then the lemma’s conclusion holds. We rule out all other possibilities by consider two remaining cases regarding  $I$ :

1. **Case:**  $b < n$ . In this case, we have  $c_b = d_b$  but  $c_{b+1} \neq d_{b+1}$ . This breaks down into two subcases:
  - (a) **Subcase:**  $c_b = d_b = \epsilon$  or  $c_b = d_b = A$ . In this case, either  $c_{b+1} = A$  and  $d_{b+1} = B$  or vice versa. However, we observe that  $2b \in A_{b+1}$  but  $2b \notin B_{b+1}$ . The only other set that contains  $2b$  is  $B_b$ , however neither  $C$  nor  $D$  contain that set. This violates the collision property, and thus this subcase is not possible.
  - (b) **Subcase:**  $c_b = d_b = B$ . In this case, either  $c_{b+1} = A$  and  $d_{b+1} = B$  or vice versa. However, we observe that  $2b \in A_{b+1}$  and  $2b \in B_b$ . This violates the disjointness property, and thus this subcase is not possible.

2. **Case:**  $a > 1$ . In this case, we have  $c_a = d_a$  but  $c_{a-1} \neq d_{a-1}$ . This breaks down into two subcases:
- (a) **Subcase:**  $c_a = d_a = \epsilon$  or  $c_{a-1} = d_{a-1} = B$ . In this case, either  $c_{a-1} = A$  and  $d_{a-1} = B$  or vice versa. However, we observe that  $(2a-2) \in B_{a-1}$  but  $(2a-2) \notin A_{a-1}$ . The only other set that contains  $(2a-2)$  is  $A_a$ , however neither  $C$  nor  $D$  contain that set. This violates the collision property, and thus this subcase is not possible.
  - (b) **Subcase:**  $c_a = d_a = A$ . In this case, either  $c_{a-1} = A$  and  $d_{a-1} = B$  or vice versa. However, we observe that  $(2a-2) \in A_a$  and  $(2a-2) \in B_{a-1}$ . This violates the disjointness property, and thus this subcase is not possible.

## B Amplifying to Poly-sized Circuit VBB Obfuscation

In this section we show how to realize VBB obfuscation for arbitrary poly-sized circuits using a VBB obfuscator for circuits in  $\mathbf{NC}^1$  and an FHE scheme. The construction presented here follows directly from the construction presented by [GGH<sup>+</sup>13b].

### B.1 Preliminaries

Here we will recall two primitives: FHE and low-depth proofs, as in [GGH<sup>+</sup>13b].

**Fully Homomorphic Encryption [Gen09].** Our definitions here follow [BGV12]. A fully-homomorphic encryption scheme FHE is a tuple of PPT algorithms (FHE.KeyGen, FHE.Enc, FHE.Dec, FHE.Eval). The message space  $R_M$  of FHE is some ring and our computational model will be arithmetic circuits over this ring (with addition and multiplication gates). FHE.KeyGen takes the security parameter (and possibly other parameters of the scheme output by a Setup procedure) and outputs a secret key  $\mathbf{sk}$  and a public key  $\mathbf{pk}$ . FHE.Enc takes the public key  $\mathbf{pk}$  a message  $\mu$  and outputs a ciphertext  $c$  that encrypts  $\mu$ . FHE.Dec takes the secret key  $\mathbf{sk}$  and a ciphertext  $c$  and outputs a message  $\mu$ . FHE.Eval takes the public key  $\mathbf{pk}$ , an arithmetic circuit  $f$  over  $M$ , and ciphertexts  $c_1, \dots, c_\ell$ , where  $\ell$  is the number of inputs to  $f$ , and outputs a ciphertext  $c_f$ .

**Definition 7.** We say that a homomorphic encryption *perfectly correctly evaluates* a circuit family  $\mathcal{F}$  if for all  $f \in \mathcal{F}$  and for all  $\mu_1, \dots, \mu_\ell \in R_M$  it holds that if  $\mathbf{sk}, \mathbf{pk}$  were properly generated by FHE.KeyGen with security parameter  $\lambda$ , and if  $c_i = \text{FHE.Enc}_{\mathbf{pk}}(\mu_i)$  for all  $i$ , and  $c_f = \text{FHE.Eval}_{\mathbf{pk}}(f, c_1, \dots, c_\ell)$ , then

$$\Pr[\text{FHE.Dec}_{\mathbf{sk}}(c_f) \neq f(\mu_1, \dots, \mu_\ell)] = 0,$$

where the probability is taken over all the randomness in the experiment.

Furthermore, we assume the decryption algorithm FHE.Dec (as is true with most known FHE schemes) can be realized by a family of circuits in  $\mathbf{NC}^1$ .

We use standard semantic security (security under chosen plaintext attack) as our security notion.

**Definition 8.** A homomorphic scheme is secure if any polynomial time adversary that first gets a properly generated  $\mathbf{pk}$ , then specifies  $\mu_0, \mu_1 \in R_M$  and finally gets  $\text{FHE.Enc}_{\mathbf{pk}}(\mu_b)$  for a random  $b$ , cannot guess the value of  $b$  with probability  $> 1/2 + \text{negl}(\lambda)$ .

**Low Depth Proofs.** Let  $R$  be an efficiently computable binary relation. For pairs  $(x, w) \in R$  we call  $x$  the statement and  $w$  the witness. Let  $L$  be the language consisting of statements in  $R$ . A non-interactive proof with perfect completeness and perfect soundness for a relation  $R$  consists of an (efficient) prover  $P$  and a verifier  $V$  such that:

PERFECT COMPLETENESS. A proof system is perfectly complete if an honest prover with a valid witness can *always* convince an honest verifier. For all  $(x, w) \in R$  we have

$$\Pr \left[ \pi \leftarrow P(x, w) : V(x, \pi) = 1 \right] = 1.$$

PERFECT SOUNDNESS. A proof system is perfectly sound if it is infeasible to convince an honest verifier when the statement is false. For all  $x \notin L$  and all (even unbounded) adversaries  $\mathcal{A}$  we have

$$\Pr \left[ \pi \leftarrow \mathcal{A}(x) : V(x, \pi) = 1 \right] = 0.$$

Furthermore we say that a non-interactive proof is *low-depth*, if the verifier  $V$  can be implemented in  $\mathbf{NC}^1$ . We refer the reader to [GGH<sup>+</sup>13b, Appendix B.4] for a simple construction of a low-depth non-interactive proof.

## B.2 Our Construction

The construction presented here is a simplification of the [GGH<sup>+</sup>13b] scheme and has been taken almost verbatim from there.

Consider a family of circuit classes  $\{\mathcal{C}_\lambda\}$  for  $\lambda \in \mathbb{N}$  where both the input size,  $n = n(\lambda)$ , is a polynomial function of  $\lambda$  and the maximum circuit size,  $p(\lambda)$  is also a polynomial function of  $\lambda$ . Let  $\{U_\lambda\}$  be a poly-sized universal circuit family for these circuit classes, where  $U_\lambda(C, m) = C(m)$  for all  $C \in \{\mathcal{C}_\lambda\}$  and  $m \in \{0, 1\}^n$ . Furthermore, all circuits  $C \in \{\mathcal{C}_\lambda\}$  can be encoded as an  $\ell = \ell(\lambda)$  bit string as input to  $U$ .

We show how to build an a VBB obfuscator for such a circuit class given a VBB obfuscator, for circuits in  $\mathbf{NC}^1$ .

Our construction is described by an obfuscate algorithm and an evaluation algorithm.

- Obfuscate( $1^\lambda, C \in \mathcal{C}_\lambda$ ):

1. Generate  $(\text{PK}_{FHE}, \text{SK}_{FHE}) \leftarrow \text{FHE.KeyGen}(1^\lambda)$ . If we are using a *leveled* FHE scheme, the number of levels should be set to be the depth of  $U_\lambda$ .
2. Encrypt  $g = \text{FHE.Enc}(\text{PK}_{FHE}, C)$ . Here we assume that  $C$  is encoded in a canonical form as an  $\ell$  bit string for use by the universal circuit  $U_\lambda(\cdot, \cdot)$
3. Generate an  $\mathbf{NC}^1$  obfuscation  $P$  for the program  $\text{P1}^{\text{SK}_{FHE}, g}$ . (See Figure 1.)
4. The obfuscation components are output as:  $\sigma = (P, \text{PK}_{FHE}, g)$ .

- Evaluate( $\sigma = (P, \text{PK}_{FHE}, g), m$ ): The Evaluate algorithm takes in the obfuscation output  $\sigma$  and program input  $m$  and computes the following.

1. Compute  $e = \text{FHE.Eval}(\text{PK}_{FHE}, U_\lambda(\cdot, m), g)$ .<sup>9</sup>
2. Compute a low depth proof  $\phi$  that  $e$  was computed correctly.
3. Run  $P(m, e, \phi)$  and output the result.

**Theorem 3.** Assume that VBB obfuscation for  $\mathbf{NC}^1$  exists and a perfectly correct FHE scheme (with decryption circuit in  $\mathbf{NC}^1$ ) exists then we have that the obfuscation scheme presented above is a VBB obfuscator for arbitrary poly-sized circuits.

We refer the reader to [BR13] for a proof of the above theorem.

---

<sup>9</sup>The circuit  $U_\lambda(\cdot, m)$  is the universal circuit with  $m$  hardwired in as an input. This in hardwired circuit takes in an  $\ell$  bit circuit description  $C$  as its input and evaluates to  $U(C, m)$ .

P1

Given input  $(m, e, \phi)$ ,  $P1^{(SK_{FHE}, g)}$  proceeds as follows:

1. Check if  $\phi$  is a valid low-depth proof for the NP-statement:

$$e = \text{FHE.Eval}(\text{PK}_{FHE}, U_\lambda(\cdot, m), g). \quad (1)$$

2. If the check fails output 0; otherwise, output  $\text{FHE.Dec}(e, \text{SK}_{FHE})$ .

Figure 1: